DEPARTMENT OF HEALTH AND HUMAN SERVICES PUBLIC HEALTH SERVICE

APPLICATION FOR A VARIANCE FROM 21 CFR 1040.11(c) FOR A

Porm Approved: 0568 No. 5910-0025 Expiration Date: October 21, 1991 See Page 4 for OARS Statement

FOOD AND DRUG ADMINISTRATION		ASER LIGHT SHOW, DISPLAY, OR DEVICE	DOCKET NUMBER						
MOTE: No laser kight show, projection system, of device may vary from compliance with 21 CFR 1040.11(c) in design or use without the approval of this application in accordance with 21 CFR 1010.4.									
1. Check all applicable boxes and type or print the requested information. 2. Submit an original and four (4) copies. 1. NAME OF COMPANY		TRUCTIONS Mail your application to the Dockets Management Branch (HFA-305), Food and Drug Administration, Room 4-62, \$600 Fishers Lana Rockville MD 20857 Enter docket number if assigned.							
2. ADDRESS OF COMPANY (Include ZIP CODE) (IF P.O. Box is used,	NO notude	artual street address also)							
2707 So. Virginia St.	_		3502						
3. NAME AND TITLE OF RESPONSIBLE PERSON MGC 4. TELES GIND GALL Special Effects	HONE	NO. (Include area code) 5 - 826 - 2121	5. DATE OF SUBMISSION 10-4-99						
6. THE APPLICANT REQUESTS THE VARIANCE TO BE IN EFFECT FOI the Agency will approve a variance for only two years. If a long	****								
PRODUCT DESCRIPTION AND USC									
LIST NAME AND/OR MODEL NUMBER(S) FOR THE LASERLIGHT LASERIUM CS-LP PROJECTOR MAN	U FAC	STAND PROJECTOR(S) TURED BY LASER IMAGES	5, INC. (VARIANCE #78P-0173						
b. PRODUCT FOR WEICH A VARIANCE IS REQUESTED A laser display device A projector for a laser light show A laser light show Other (Specify)		f. PRODUCT IS INTENDED TO BE U More than 15 days 8 More than 5 but not mare Less than 5 days	SED AT ANY ONE LOCATION /						
c. Projectors are intended for sale, lease, or loan to other laser light show produceri		9. YOUR IS INTENDED TO RUN FOR More than 8 months	,						
d. PRODUCT IS INTENDED FOR USE IN A Planetarium or other dome projection structure Theater Hotel/motel ballroom or meeting room	Less than one month Not applicable (Not e tour) Other (Specify) hPRODUCT UTILIZES THE FOLLOWING LASER EFFECTS front screen projections								
Store displays trade show or convention Discotheque or night club Pavilion Indoor arena Outdoor arena Museum Outdoor unenclosed area Other (Specify)		☐ Rear screen projections ☐ Holographic displays Multiple reflection/diffraction effects ☐ Audience scanning (Also includes scanning any accessible uncontrolled areas) ☐ Reflections from stationary mirrors or mirrored surfaces (Beam Matrices) ☐ Stationary irradiation of rotating mirror balls, etc. ☐ Scanning irradiation of rotating mirror balls, etc. ☑ Fiber optic projections ☑ fog. smoke, or Other scattering enhancement effects ☐ Other (Specify)							
e. PRODUCT IS INTENDED TO BE USED At only one (Fixed) location At a variety of (Tour) locations Other (Specify)									
B. LAS	ER RAT	DIATION LEVELS	**************************************						
LASER MEDIUM (Ar, He-Ne, etc.)	AVELE	NGTHS (nm)	PEAK POWER (watts)						
	- 6	76 nm 4	WATTS						
9. IF ANY LASER RADIATION IS PULSED OR SCANNED, GIVE THE PULSE DURATION AND RATE AND SCANNING FREQUENCY AND AMPLITUDE AVERAGE SCAN RATE IS 30,000 POINTS PER SECOND AT 80° MAXIMUM									
DEFLECTION.									
10. REASON FOR REQUESTING VARIANCE									
Compliance with the limits of 21 CFR 1040.11(c) would restrict the intended use of the product because compliance would limit the output power to the extent that the desired effects would not be sufficiently visible									
Ocher or additional explanation (Specify)	 		VAL1						
FORM FDA 3147 (5/90) PREVICE	. ' iS E Di	TION IS OBSOLETE	nade me an er						

PREVICEIS EDITION IS OBSCHIFTE

•			_			
1 1	MAI	NNER IN WHICH	IT IS PROPOSED	TODEVIATER	ROM THE REQU	HEMENTS OF THE APPLICABLE STANDARD
	B	it is proposed i accessible emi	to deviate from ission limits spec	the provisions ified in 21 CFR	of 21CFR1040. 1040.11(c).	1 I(c) in that the accessible emission level would exceed the
] It is proposed t	o deviate from i	the provition o	of 21 CFR 1040.1	(c) as follows:
ī 2	, ADV	ANTAGES TO BE	DERIVED FROM	SUCH DEVIA	TION	
	2	Laser light sha	wi and displays a	are accepted o	iopular media tri	entertainment and thr arts. Use of power levels in excess
			•	()	-	neve the required effects in these media.
	C,] Other of addit	ional advantage	es (describe en	d explain).	
13	EXP	LAIN THE ALTER es not checked,	NATE MEANS Outing additional	FRADIATION sheets as nece	PROTECTION TO essary. State arg	BE PROVIDED (Check as many boxes as apply. In item 14 "Remarks," justify an other means of radiation protection that will be used.)
	a T	be reported as	cts, systems, sho s required by 21 prior to any intri	CFR 1002.10 at	nd 1002 12 usini	isled to comply with 21 CFR 1040.10 and the conditions of this variance and will the reporting guides provided for such purpose. These actions will be
	b. <u>A</u>	Effects not spi the variance h	ecifically indicati as been obtaine	ed in this varia ed and the requ	nce application ured reports or :	will not be performed. No other effects will be added until an amendment to applements, as applicable, have been submitted.
	c. 🕱	Scanning, pro areas will not screens.	ection, or reflec be permitted ax	tion of laser ar cept for diffusi	nd collateral rad e reflections pro	istion (Light show radiation) into audience or other accessible uncontrolled duced by the atmosphere, added atmospheric scattering media, and target
	d. 🗷	persons other where such pe	than operators, rsons are permi	performers, a rted to be. Op	r employees are erators, perforn	e permitted at any point less than 3.0 meters above any surface upon which permitted to stand or 2.5 meters below or in lateral separation from any place lers, and employees will not be required or allowed to view radiation above the ecified in 21 CFR 1040.11(c)
	e. Z	Any product wi	hich relies on sca sscannermotion	anning to mee	t access, exposu Il react fasteno:	e, or product class limits will incorporate a scanning ta feguard system which ighto preclude exceeding the applicable limit.
	f] All laser tight s	hows shalt be u r	nder the direct	and personal co	ntrol of trained, competent operator(s). The operator(s) will;
		(1) Immediate	ly terminate the	emission of h	ght show radiati	on in the event of any unsafe condition;
		(2) 8e located	where all beam	paths can be o	directly observe	at all times; and
		(3) Be an emp	loyee of the vari	ance holder w	/ho will be respo	hsible for the training and the conduct of the operator
	g R	the maximum	laser projector o	output powe r v	vill not exceed i	helevelrequired to obtain the intended • ftecu.
	h. 🗆	immobilized t	on system (i.e., the prevent unint ling of screens,	ended movem	ent or misaligne	nents used to produce the lighting effects) will be securely mounted or lent. Beam masking will be provided as an inherent part of the system design to
	۱. 🔀	Laser projecto demonstrates projector(s).	rs will not be de that they have a	livered to any of variance in el	other party undi ifect at the time	rran agreement of sale, lease, or loan unless and until the recipient of delivery that permits them to produce laser light shows incorporating such
٠	. j. Z	recipient as ar	w tuć edhibwa	nt, acequate u ght show man	ufacturer to sub	nufacturer of laser projectors systems will provide to parties who purchase, for safe installation and operation which explain the responsibility of the mit the required reports and apply for and obtain a variance from CORH prior to
	k. 🔀	and performal variance, 4nd (American Na applicable, strange) 1040, 11(c) with switches, photand to final or	nce of each show the control of actional Standardi at be clearly ident to cells, barriers, permanent are	w These procestes to radiate strate to radiate strate, 1436 institute, 1436 in the policy of the pol	edures Will be in On areas Using th O Broadway, Nei If radiation area Sting of warnin These requirem Ce holder will ie	pmplished through the use of written procedures for setup, alignment, testing, sufficient detail to ensure compliance with 21 CFR 1040, 10, the conditions of this inprocedures described in the ANSI 2136.1 standard for the safeuse of lasers by York, MY 10018) or any other equivalent user consensus standard and, where which can contain radiation levels above the limits specified in 21 CFR of signs and/or restricting access through physical means (such as pressure ents apply to temporary areas (such as during set up and alignment procedures) ein the records of these procedures and the results of all tests as required by 21 letter, current procedures, and records relating to each particular show will be made available continuent spection by FDA and other responsible authorities.
						·

- Advance written notification will be made as early as possible to appropriate federal, state, and local authorities providing show innerary will dates and locations clearly and completely identified, and a basic description of the proposed effects including a statement of the maximum power output intended. Such notifications will be made, but not necessarily be limited, to:
 - (1) The Center for Devices and Radiological Health, Office of Chmpliance and Surveillance (HFZ-312), 1390 Piccard Drive, Rockville, MD 20850. providing the initial and closing dates for fixed installations and the itinerary for mobile shows. In addition, unless all espects of each show have been reported and accession numbers clearly referenced, each notice will include detailed descriptions of each show and a listing of all effects to be performed in sufficient detail to confirm compliance with the regulations and this variance.
 - (2) The Federal Aviation Administration (FAA) for any projections into open airspace at any time (i.e., including set up, alignment, rehearsals. performances, etc.). If the FAA objects to any laser effects, the objections will be resolved and any conditions requested by FAA will be adhered to. If these conditions cannot be met, the objectionable effects will be deleted from the show.
 - (3) State and local radiation control offices/agencies for all shows to be performed within their jurisdictions. All requirements of state and local law will be satisfied and any objections raised by local authorities will be resolved or the effects deleted. (A list of federal and state offices is available from the Center for Devices and Radiological Health upon request.)

14. REMARKS

The projector is to be permanently installed in the Italian Restaurant of the Pepper-mill Hotel Casino and will project an automated sequence of tumia (interference patterns) and scanned imagery on the domed ceiling. The projector will be mounted over 4 meters above and out of the site line of the audience. The front projection surface will be an additional 4 meters above the projector.

The operator shall inspect the installation prior to stating the daily sequences to insure compliance and overall safety. There will be a training program to make the operator and staff aware of safe operation practices Continuous monitoring shall be achieved by a combination of video surveillance and the restaurant'staff, all with access to emergency stop buttons. Communications between the restaurant and the designated operator will also be provided.

CERTIFICATION

I CERTIFY that all of the above information and statements are true, complete, and correct to the best of my knowledge and acknowledge that my variance application may be defined or my variance may be revoked if this application is found to be false, misleading, or incorrect in any material way. I have submitted and will submit all reports required by 21 CFR 1002.10 and 1002.12 on the laser equipment and show(s). further understand that I may be required by regulation or by the Director. Center for Devices and Radiological Health, to supply such other information as may be necessary to evaluate and act on this application.

we spall

16. NAME (Type or Print)

GiNO GAlli

Special Effects Mgr.



Place Labels in This Space Options: • 1!1 UPS Tracking Label and your address label Place the Tracking Label to the left of the address label. Stamp your UPS Shipper Number or place parcel register tape above the address label. **2** UPS Air Shipping Document UPS Waybill WEIGHT DIMENSIONA WEIGHT **UPS Next Day Air®** WEIGHT **UPS Worldwide Express** Shipping Document WORLDWIDE EXPRESS (INTERNATIONAL) X NEXT DAY 2A69 2/99 DOCUMENTS ONLY SATURDAY I PICKUP 2B69 2/99 SHIPMENT FROM N437 4043 611 EFERENCE NUMBER N437 4043 611 TELEPHONE GIND GILL 775-824-2700 PEPPERMILL CASINOS INC 嗣 90 W. GROVE ST STE 600 BILL RECEIVER Next Day Air® RENO 89509 ocketo Minnesement Cranch N437 4043 61 Food + Drug Alaministration 4-62 5600 Falser Live 01019112009 2/99 M United Parcel Service, Louisville, KY